# **D2G DIY Instructions (Flooring)**

## **Tools and Materials Needed**

#### <u>Tools</u>

- Carpet knife or razor blade
- Tape Measure
- T Square or straight edge
- Chalk line
- Black permanent marker
- Table saw

#### <u>Materials</u>

- Razor or carpet blades
- Chalk for chalk line

#### Putting Green Turf (Custom Cut or Standard Size)

### Custom Cut turf

If you ordered custom cut turf to perfectly fit your room, simply lay the turf out in the desired orientation. If you find a cut that needs to be made please see steps below.

### Standard size turf

there is always going to be a mandatory two sides that need to be cut / trimmed. In order to do this follow the steps below:

### Step 1 - Measure the Room

The first step is to measure your room width and length dimensions in three places. The width dimensions include:

- Near the screen
- Middle of the turf area
- End of the turf area

The length dimensions include:

- Right side
- Middle
- Left side

Please write these six dimensions down on a simple sketch drawing. This process is done to determine if your room is square.

## Step 2 - Layout Turf Upside Down

Next you will want to layout your turf upside down and determine your flip direction. As an example if your turf is upside down and you are making cuts on the right side of the room this edge of the turf will end up being on the left side of the room.

## Turf layout tips based on your room

### 1 Wall (open room / typically screen wall only)

- Center the turf (upside down) in the desired location
- 2, 3 or 4 Walls
  - Flush the turf to two adjoining walls. In the case of a simulator room this would be the screen wall and the left or right wall.

## Step 3 - Cut Turf to Size

#### 1 Wall (open room)

Using your original measurements, you will use your permanent marker and chalk line layout to cut the turf on all four sides to the desired dimensions.

### 2, 3 or 4 Walls

Using your permanent marker, chalk line, razor blade and straight edge you will now cut the turf according to your original dimensions. In order to do this, you will need to flush your turf to the two adjoining wall (as mentioned above) and measure the dimensions off of those walls accordingly. (Make sure you are thinking about your flip direction as you are marking the turf that will end on the other side of the room - depending on your flip direction) Mark those dimensions using your permanent marker in multiple places then attach the points using your chalk line. Finally using your straight edge, you will cut along the chalk line.

### Step 4 - Flip Over Turf

Flip over the turf that should now fit perfectly in your room.

### Step 5 - Securing Your Floor (Optional)

You can secure your floor in any of the following ways:

- Glue
- Staples
- Screws

Please note - that whatever method you use can damage the floor underneath the putting surface.

## Still have questions?

Please email us at <a href="mailto:support@design2golf">support@design2golf</a> and our installation support team will get back to you shortly.